

FL




Table of Contents

Tavola	Page
FL	3
FL 2012 2018	19
FL 2009 2011	27


FL






Pos	Code	Description	NOTE	Q.
1	FCH120.013	FRONT DECK-WELDMENT FL 120		0
1	FCH160.013	FRONT DECK-WELDMENT FL 160		0
1	FCH90.013	FRONT DECK-WELDMENT FL 90		0
5	FCH120.014	CONTAINER-WELDMENT FL 120		0
5	FCH160.014	CONTAINER-WELDMENT FL 160		0
5	FCH90.014	CONTAINER-WELDMENT FL 90		0
6	FCH120.015	DECK 120		1
6	FCH160.015	DECK 160		1
6	FCH90.015	DECK 90		1
7	RK120.022	Cylinder FL		2
8	GEO.600.12	GEO BELT COVER 600H 12cm		1
9	PIN-I-II	HITCH PIN I-II		2
10	LP-11x45	LOCK PIN 11x45		2
11	FCH120.101	PRESSING PLATE FL 120		1
11	FCH160.101	PRESSING PLATE FL 160		1
11	FCH90.101	PRESSING PLATE FL 90		1
12	FCH120.102	RUBBER BAFFLE FL 120		1
12	FCH160.102	RUBBER BAFFLE FL 160		1
12	FCH90.102	RUBBER BAFFLE FL 90		1
13	FCH120.108	ENCLOSING PLATE		1
15	FCH120.006	HOSE-ASSEMBLY FL 90/FL 120		0
15	FCH160.006	HOSE-ASSEMBLY FL 160		0
16	GB/1154-17.42	V BELT B 42 (1067Li)	FL 90/FL 120	2
16	GB/1154-17.42.FL160	BELT B 42 (1068Li)	FL 160	3
17	GB/T889.1-M8	LOCKNUT M8		9


Pos	Code	Description	NOTE	Q.
18	GB/T5783-M8x20	BOLT M8x20		6
19	GB/T5786-M16x1.5x60	BOLT M16x1.5x60		1
20	GB/T6171-M16x1.5	NUT M16x1.5		1
21	GB1152-M8X1	Grease Nipple M8x1		1
22	GB/T5782-M12x110	BOLT M12x110		1
23	GB/T96.2-12	Plain washer 12		1
24	GB5783-86/M12x30	Bolt M12x30		2
25	GB/T93-12	Lock Washer 12		2
26	GB/T889.1-M20	LOCK NUT M20		2
27	GB/T889.1-M12	LOCK NUT M12		3
28	GB/T5782-M12x80	BOLT M12x80		3
29	GB/T97.1-8	PLAIN WASHER 8		3
30	GB/T5783-M10x45	BOLT M10x45		2
31	GB/T97.1-10	Plain washer 10		2
32	GB/T.97.1-12	Plain washer 12		1




Pos	Code	Description	NOTE	Q.
1	FCH120.021	CUTTE SHAFT-WELDMENT FL 120		0
1	FCH160.021	CUTTE SHAFT-WELDMENT FL 160		0
1	FCH90.021	CUTTE SHAFT-WELDMENT FL 90		0
2	GEO_UCF207	Bearing with flange UC207-Z		2
3	GB/T13871.1-55X80X8	SEAL FB55x80x8		1
4	RK120.109.2	Spacer lower for Pulley 2 grooves		1
4	RK120.109.3	Spacer lower for Pulley 3 grooves		1
5	JB/T7934Z3/35X60	Swellable sleeve 35X60		1
6	EFG120.105.2	small belt pulley 120mm 2 grooves		1
6	EFG120.105.3	small belt pulley 120mm 3 grooves		1
7	GB1152-M8X1	Grease Nipple M8x1		1
8	GB5783-86/M12x30	Bolt M12x30		8
9	GB/T93-12	Lock Washer 12		8
10	GB/T.97.1-12	Plain washer 12		0
11	EF.100.00.102	Blade Ø 12		0
11	EF.100.00.107	Hammer Ø12		1
12	GB/T5782-M12x80-	BOLT M12x80 FL 90		16
13	GB/T889.1-M12	LOCK NUT M12		16




Pos	Code	Description	NOTE	Q.
1	FCH120.022-120	ROLLER-WELDMENT FL 120		0
1	FCH120.022-160	ROLLER-WELDMENT FL 160		0
1	FCH90.022	ROLLER-WELDMENT FL 90		0
2	FCH120.104	MOUNTING PLATE-LEFT		0
3	FCH120.105	MOUNTING PLATE-RIGHT		0
4	GB/T7810-UCFLU205	BEARING UCFLU205		2
5	GB/T97.1-10	Plain washer 10		4
6	GB/T889.1-M10	LOCKNUT M10		4
7	GB/T70.3-M10x40	SCREW M10x40		4
8	GB5783-86/M12x40	Bolt M12x40		4
9	GB/T97.1-12	Plain washer 12		4
10	GB/T889.1-M12	LOCK NUT M12		4



Pos	Code	Description	NOTE	Q.
2	EFGC125.120A	TENSIONING PLATE		0
3	JB/T7934Z3/35X60	Swellable sleeve 35X60		0
4	EFG120.106.2	Big belt pulley 170mm 2 grooves		0
4	EFG120.106.3	Big belt pulley 170mm 3 grooves		0
5	FM150.120	Guard shade		0
6	GB/T97.1-8	PLAIN WASHER 8		0
7	GB/T5783-M8x20	BOLT M8x20		0
8	GB/T93-12	Lock Washer 12		0
9	GB5783-86/M12x30	Bolt M12x30		0
10	GB/T96.2-12	Plain washer 12		0
11	GB/T.97.1-14	PLAIN WASHER 14		0
12	GB/T.889.1-M14	LOCK NUT M14		0
13	EFGC125.195	PLUG M12		0



Pos	Code	Description	NOTE	Q.
1	FCH120.016	MOUNTING BRACKET		0
2	FCH120.018	FORK-WELDMENT		0
3	FM150.107	BUSHING		0
4	FM150.030	Tire WHEEL 8x3		0
5	LP-11x45	LOCK PIN 11x45		0
6	FM150.105	SPACER-LONG		0
7	FM150.106	SPACER-SHORT		0
8	GB/T5782-M16×100	BOLT M16x100		0
9	GB/T889.1-M16	LOCK NUT M16		0
10	GB1152-M6	Grease Nipple M6		0
11	GB/T5782-M10×70	BOLT M10x70		0
12	GB/T889.1-M10	LOCKNUT M10		0
13	GB/T97.1-10	Plain washer 10		0




Machine: FL

Assembly: FL_2019_parte 6



Pos	Code	Description	NOTE	Q.
1	M14X1.5-3T	T-FITTING M14x1.5		0
2	FCH160.012A	HOSE A		0
3	FCH160.012B	HOSE B		0
4	JB.?.T982-14	GASKET 14		0
5	FT-M14X1.5-2	FITTING 14-14		0
6	KJ-R1-2-M	QUICK CONNECTER-MALE		1
7	FT-R-1-2-M14x1.5	ADAPTER 14-R1/2		0



Pos	Code	Description	NOTE	Q.
1	XH50.300Z.02W	Gearbox assembly		1
2	EFGC125.166	Paper gasket		1
3	EFGC125.167	Connected sleeve		1
4	EFGCN.35.425	Shaft 125		1
4	FCH160.168	SHAFT FL 160		1
4	FCH90.168	SHAFT FL 90		1
5	GB1096-A10x40	KEY A10x40		1
6	EFGCN.72.444	Shaft tube weldment 125-175		1
6	FCH160.020	EXTENDING TUBE-WELDMENT FL 160		0
6	FCH90.020	EXTENDING TUBE-WELDMENT FL 90		0
7	GB13871-FB38x62x8	SEAL FB38x62x8		1
8	GB307-NUP207E	BEARING NUP207E		1
9	GB893.1-72	Seeger ring 72		2
10	GB894.1-35	Seeger A 35		1
11	GB13871-FB35x72x10	Oil seal FB35X72X10		1
12	GB93-12	spring washer 12		4
13	GB70.1-M12x35	SCREW 12x35		4
14	GB1152-M6	Grease Nipple M6		1

FL 2012 2018




Pos	Code	Description	NOTE	Q.
1	GB5782-M10X60	Bolt M10x60		2
2	RK120.101	Adjusting ring		4
3	GB97.1-10	PLAIN WASHER 10		8
4	GB1152-M8X1	Grease Nipple M8x1		4
5	RK120.011	Wheel bracket		2
6	GB93-10	spring washer 10		4
7	DIN985-M10	Locking nut M10		7
8	200.56.011	Lock pin		2
9	RK120.012	Wheel fork		2
10	GB5782-M12X120	Bolt M12x120		2
11	GB96.1-12	Plain washer 12		9
12	FM120.00.018	Wheel		2
13	GB93-12	spring washer 12		13
14	DIN985-M12	nut M12		8
15	GB5782-M10X65	half-thread bolt		2
16	RK120.102	Wheel support connecting tube		2
17	RKN120.018	Lower Pin		2
18	RK120.106	Wheel support		2
19	UCFL205-45°	bearing		2
20	GB5782-M10X45	Bolt M10x45		2
21	GB5782-M12X45	Bolt M12x45		4
22	GB6170-M6	hexagon nut		6
23	GB93-6	spring washer 6		6
24	RK120.104	board(120)(L=1195)		1
24	RK160.104	board(160)(L=1595)		1

Pos	Code	Description	NOTE	Q.
24	RK90.104	board(90)(L=895)		1
25	GB97.1-6	Plain washer 6		12
26	GB5783-M6X25	bolt M6X25		6
27	RK120.103	press plate(120) (L=1195)		1
27	RK160.103	press plate(160)(L=1595)		1
27	RK90.103	press plate(90) (L=895)		1
28	GB5783-M12X35	Bolt M12X35		4
29	GB93-12	spring washer 12		13
30	GB97.1-12	plain washer 12		13
32	FM120.00.199	PTO cover		1
33	GB5783-M10X20	Bolt M10x20		4
34	EF100.00.177	Cover Input shaft		1
35	GB5783-M12X30	Bolt M12X30		9
36	GEO_UCF207	Bearing with flange UC207-Z		2
37	RK120.020	Blade axle 120		1
37	RK160.020	Blade axle 160		1
37	RK90.020	Blade axle 90		1
38	EF.100.00.107	Hammer Ø12		1
38	EFGC.100.00.102	Blade Ø16mm		28
39	DIN985-M14	Locking Nut M14		2
40	GB97.1-14	Plain washer 14		2
41	EFGC120.102A	locking plate		1
42	GB5783-M14X35	Bolt M14X35		2
43	RK120.105	Block plate		1
44	GB5783-M12X25	Bolt M12X25		4

Pos	Code	Description	NOTE	Q.
45	EFG120.012-RK120	(L=1182)roller(RK120)		1
45	EFG120.012-RK160	(L=1582)roller(RK160)		1
45	EFG120.012-RK90	(L=882)roller(RK90)		1
46	GB5786-M16X1.5X50	screw bolt		1
47	GB6173-M16X1.5	thin nut		1
48	RKN105.013	engine cover(120)		1
48	RKN120.013	engine cover(160)		1
48	RKN90.013	engine cover(90)		1
49	GB5782-M10X120	half thread bolt		3
50	JB/T7934Z3/35X60	Swellable sleeve 35X60		2
51	EFG120.106.2	Big belt pulley 170mm 2 grooves		1
51	EFG120.106.3	Big belt pulley 170mm 3 grooves		1
52	GB/1154-17.42	V BELT B 42 (1067Li)	FL 90/FL 120	2
53	RK120.021	Pulley cover (GK)		1
54	GB96.1-10	Plain washer 10		4
55	GB5782-M12X90	Bolt M12x90		1
56	EF100.00.119	(diam 28) rubber cover		1
57	RK120.015	Hose pipeline L=2000		2
58	RK120.401	adapter		2
59	QUICK-COUPLING-G1/2-1	Quick jointG1/2		2
60	RK120.022	Cylinder FL		1
61	RKN120.107	spacer bush		2
62	GB97.1-20	Plain washer 20		2
63	DIN985-M20	nut M20		2
64	EFG120.105.2	small belt pulley 120mm 2 grooves		1


Pos	Code	Description	NOTE	Q.
64	EFG120.105.3	small belt pulley 120mm 3 grooves		1
65	RK120.016	Box Grass closet (120)		1
65	RK160.016	Box Grass closet (160)		1
65	RK90.016	Box Grass closet (90)		1
66	RK120.109.2	Spacer lower for Pulley 2 grooves		1
66	RK120.109.3	Spacer lower for Pulley 3 grooves		1
67	GB13871-FB-55X80X8	Oil Seal 55X80X8		1
68	RK120.014	Inner lining panel(120)		1
68	RK160.014	Inner lining panel(160)		1
68	RK90.014	Inner lining panel(90)		1
69	GB5783-M8X20	bolt M8X20		3
70	GB97.1-8	Plain washer 8		6
71	DIN985-M8	nut M8		3
72	EFG120.169	oil nipple paper pad		1
73	EFG120.168	oil nipple cap		1
74	FM120.00.120-1	nylon cover		4



Pos	Code	Description	NOTE	Q.
1	XH50.300Z.02W	Gearbox assembly		1
2	EFGC120.131	Paper gasket		1
3	EFGC120.133A	shaft(160)(L=625)		1
3	EFGC120.133A-RK105	shaft(120)(L=425)		1
3	EFGC120.133A-RK90	shaft (90)(L=275)		1
4	GB1096-A-10X8X40	A flat key		1
5	EFGC120.018A	shaft tube(160)(L=644)		1
5	EFGC120.018A-RK105	shaft tube(120)(L=444)		1
5	EFGC120.018A-RK90	shaft tube(90)(L=294)		1
6	GB93-12	spring washer 12		4
7	ZBT32001.3-ZG3/8-19"	ZG3/8-19 cap plug		1
8	GB70.1-M12X35	Inner hexagon socket cap screws		1
9	CBW-00-011B	breath plug 3/8		1
10	GB276-6207-2Z	Deep groove ball bearing		1
11	GB893.1-72	Seeger ring 72		1
12	GB13871-FB-35X72X12	FB oil seal		1


FL 2009 2011






Pos	Code	Description	NOTE	Q.
1	GB5783-86/M12x30	Bolt M12x30		2
2	GB93-87-12	Spring lock washer 12		5
3	GB889-86-M12	Locking nut M12		5
4	RK120.018	Bracket weldment 120		1
4	RK160.018	Bracket weldment 160		1
4	RK90.018	Bracket weldment 90		1
5	GB97.1-85/12	Plain washer 12		6
6	GB5782-86/M12x50	Bolt M12x50		2
7	RK120.108	Link plate		2
8	GB5782-86/M12x110	Bolt M12x110		1
9	SL140.00.109	Bolt Lower Pin		2
10	GB93-87-24	Wahser 24		2
11	GB889-86-M24	Nut M24		2
12	RK120.013	Deck weldment 120		1
12	RK160.013	Deck weldment 160		1
12	RK90.013	Deck weldment 90		1
13	RK120.014	Inner lining panel(120)		1
13	RK160.014	Inner lining panel(160)		1
13	RK90.014	Inner lining panel(90)		1
14	GB889-86-M8	Locking nut M8		3
15	GB93-87-8	Spring lock washer 8		3
16	GB97.1-85	Plain washer		6
17	GB5783-86/M8x20	Bolt M8x20		3
18	GB5782-86/M10x45	Bolt M10x45		2
19	GB93-87-10	Spring lock washer 10		5

Pos	Code	Description	NOTE	Q.
20	GB889-86-M10	Locking nut M10		5
21	RK120.015	Hose pipeline L=2000		2
22	GB889-86-M20	Nut 20		2
23	GB93-87-20	Spring lock washer 20		2
24	RK120.016	Box Grass closet (120)		0
24	RK160.016	Box Grass closet (160)		0
24	RK90.016	Box Grass closet (90)		1
25	RK120.022	Cylinder FL		1
26	GB5782-86/M10x120	Bolt M10x120		3



Pos	Code	Description	NOTE	Q.
1	RK120.113	Big pulley(FL 90/120) 170mm Type A		1
2	GB/1154-17.40	BELT B 40 (1020Li)		2
3	GB70-85	Hex.head bolt M6x25		16
4	GB93-87-6	Spring lock washer 6		16
5	RK120.112	Inner swellable sleeve		2
6	GB6170-86-M12	Nut M12		2
7	RK120.111	Outer swellable sleeve		2
8	RK120.023	Swelling ring		1
9	RK120.019	Gear box assembly 120		1
9	RK160.019	Gear box assembly 160		1
9	RK90.019	Gear box assembly 90		1
10	EF100.00.112	Guard Shade		1
11	GB5783-86/M10x40	Bolt M10X40		2
12	GB5782-86/M10x45	Bolt M10x45		2
13	GB5783-86/M12x30	Bolt M12x30		9
14	GB93-87-12	Spring lock washer 12		15
15	GB97.1-85	Plain washer		9
16	GB7810-87-90207	Bearing 90207		2
17	RK120.020	Blade axle 120		1
17	RK160.020	Blade axle 160		1
17	RK90.020	Blade axle 90		1
18	GB889-86-M10	Locking nut M10		8
19	GB93-87-10	Spring lock washer 10		8
20	RK120.024	Swelling plate		2
21	GB97.1-85/10	Plain washer 10		2

Pos	Code	Description	NOTE	Q.
22	GB13871-94-55x80x8	Oil seal FB55x80x8		1
23	GB1152-89/M8X1	Grease nipple M8		2
24	RK120.109.2	Spacer lower for Pulley 2 grooves		1
24	RK120.109.3	Spacer lower for Pulley 3 grooves		1
25	GB5782-86/M10x90	Bolt M10x90		1
26	GB96-85-10	Plain washer 10		1
27	RK120.021	Pulley cover (GK)		1
28	RK120.110	Small pulley(FL 90/120) 120mm Type A		1
29	RK120.105	Block plate		1
30	GB889-86-M12	Locking nut M12		30
31	RK120.106	Wheel support		2
32	GB7810-87-90205	Bearing 90205		2
33	GB5783-86/M12x25	Bolt M12x25		4
34	RK120.017	ROLLER WELDMENT 120		1
34	RK160.017	ROLLER WELDMENT 160		1
34	RK90.017	ROLLER WELDMENT 90		1
35	GB5782-86/M12x45	Bolt M12x45		2
36	EF.100.00.103	Spacer 12		56
37	EF.100.00.102	Blade Ø 12		24
37	EF.100.00.107	Hammer Ø12		24
38	GB5782-86/M12x80	Bolt M12x80		28



Pos	Code	Description	NOTE	Q.
1	GB5782-86/M12x120	Bolt M12x120		2
2	GB96-85-12	Plain washer 12		4
3	FM120.00.120	Nylon Sleeve		4
4	FM120.00.018	Wheel		2
5	GB93-87-12	Spring lock washer 12		2
6	GB889-86-M12	Locking nut M12		2
7	RK120.104	board(120)(L=1195)		1
7	RK160.104	board(160)(L=1595)		1
7	RK90.104	board(90)(L=895)		1
8	RK120.103	press plate(120) (L=1195)		1
8	RK160.103	press plate(160)(L=1595)		1
8	RK90.103	press plate(90) (L=895)		1
9	GB5783-86/M6x25	Bolt M6x25		6
10	GB97.1-85/6	Plain washer 6		12
11	GB93-87-6	Spring lock washer 6		6
12	GB6170-86-M6	Nut M6		6
13	GB889-86-M10	Locking nut M10		4
14	GB93-87-10	Spring lock washer 10		4
15	GB97.1-85/10	Plain washer 10		8
16	RK120.102	Wheel support connecting tube		2
17	GB5782-86/M10x65	Bolt M10X65		2
18	GB5782-86/M10x60	Bolt M10x60		2
19	200.56.011	Lock pin		2
20	RK120.101	Adjusting ring		4
21	GB1152-89/M6	Grease nipple M6		2

Machine: FL 2009 2011

Assembly: Flold_parte 3



Pos	Code	Description	NOTE	Q.
22	RK120.011	Wheel bracket		2
23	RK120.012	Wheel fork		2